

 PALM Intranet

Application Number

IDS Flag Clearance for Application

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	11-21-2001	6	<input checked="" type="checkbox"/>	01-10-2002 21:21:06 ltyson1

Day : Friday
Date: 3/24/2006

Time: 16:34:02



Inventor Name Search Result

Your Search was:

Last Name = YAMASAKI

First Name = NOBUO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09989027	Not Issued	71	11/21/2001	Display device having SRAM built in pixel	YAMASAKI, NOBUO
10033919	6876348	150	01/03/2002	DISPLAY DEVICE EQUIPPED WITH SRAM IN PIXEL AND DRIVING METHOD OF THE SAME	YAMASAKI, NOBUO
10341518	Not Issued	71	01/14/2003	Planar display device for generating gradation voltage by use of resistance elements	YAMASAKI, NOBUO

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="Yamasaki"/>	<input type="text" value="Nobuo"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	pixel with memory and and SRAM and still adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:17
L2	81	"6876348".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 16:34
L3	8	yamasaki and Nobuo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 16:42
L4	3	yamasaki and Nobuo and display adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 16:42
S1	383208	yamasaki and Nobuo and display adj device and SRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 16:42
S2	6686	(LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:09
S3	1	(LCD or liquid adj crystal adj display) and SRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:09
S4	2691	(LCD or liquid adj crystal adj display) and SRAM and (still and iamge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:10
		(LCD or liquid adj crystal adj display) and SRAM and (still and image\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:11

EAST Search History

S5	310	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:11
S6	41	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:11
S7	41	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:11
S8	30	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:11
S9	30	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:12
S10	22	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and stop\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:12
S11	22	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 and voltage and during and standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:13
S12	0	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 adj voltage and during and standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:13
S13	0	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 adj voltage\$1 and during and standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:14

EAST Search History

S14	22	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 and generat\$6 and voltage\$1 and during and standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:24
S15	1	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$6 and circuit\$6 and (stop\$6 adj generat\$6 and voltage\$1 and during and standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:15
S16	1	(LCD or liquid adj crystal adj display) and SRAM and (still adj image\$1) and standby and power and voltage\$1 and generat\$ and (stop\$6 adj generat\$6 and voltage\$1 and during and standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:15
S17	2	"6,636,194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:37
S18	2	"6,522,319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:37
S19	2	"5,712,652".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:14
S20	0	"5,712,652".pn. and voltage and stp\$6 and power and standby and still	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:15
S21	0	"5,712,652".pn. and voltage and stp\$6 and power and standby	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:15
S22	0	"5,712,652".pn. and voltage\$1 and stop\$6 and power and standby and still	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:15

EAST Search History

S23	0	"5,712,652".pn. and voltage\$1 and stop\$6 and power and standby	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:15
S24	2	"5,712,652".pn. and voltage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:15
S25	1	"5,712,652".pn. and voltage\$1 and stop\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:16
S26	1	"5,712,652".pn. and voltage\$1 and stop\$6 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:16
S27	0	"5,712,652".pn. and voltage\$1 and stop\$6 and power and standby	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:16
S28	1	"5,712,652".pn. and voltage\$1 and stop\$6 and power and still	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:16
S29	1143	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power adj source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:25
S30	48	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:26
S31	32	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:27
S32	15	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:27

EAST Search History

S33	15	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 and supply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:27
S34	15	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 and supply\$6 and power\$6 adj source\$6 adj voltage\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 10:30
S35	14	(LCD or liquid adj crystal adj display) and (still adj image\$1) and (power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and stop\$6 and supply\$6 and power\$6 adj source\$6 adj voltage\$6 and during and (still adj image\$1) and display\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:02
S36	1	"20060007069" and still adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:26
S37	14	(LCD or liquid adj crystal adj display) and (still adj image\$1) and power\$6 adj source\$6 adj voltage\$6 and control\$6 adj circuit\$6 and (during and (still adj image\$1) and display\$6 and stop\$6 and supply\$6 and power\$6 adj source\$6 adj voltage\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:03
S38	46	pixel with sram adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:41
S39	1	pixel with sram adj memory and still adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:17
S40	252	pixel with memory and SRAM and still adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:17

EAST Search History

S41	201	pixel with memory and SRAM and still adj image and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:18
S42	63	pixel with memory and SRAM and still adj image and power and refresh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:18
S43	45	pixel with memory and SRAM and still adj image and power and refresh and stop\$6 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:41
S44	7	pixel with memory and SRAM and still adj image and refresh and stop\$6 adj power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:43
S45	8	pixel with memory and still adj image and refresh and stop\$6 adj power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 11:44
S46	31	pixel with memory and still adj image and stop\$6 adj power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:18
S47	0	pixel with memory and stop\$6 adj power and second adj display\$^	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:18
S48	11	pixel with memory and stop\$6 adj power and second adj display\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:18
S49	11	pixel with memory and stop\$6 adj power and second adj display\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:20
S50	8	pixel with memory and (second adj display\$6 and during and stop\$6 adj power\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:21

EAST Search History

S51	0	"20060007069" and still adj image and refresh\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:26
S52	204	pixel with memory and okumura	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:41
S53	28	pixel with memory and okumura and semiconductor and energy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:42
S54	9	pixel with memory and okumura and semiconductor and energy and power\$6 and stop\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:49
S55	2	"5815680".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:44
S56	2	"6331844".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:49
S57	0	"6331844".pn. and pixel with memory and power\$6 and stop\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:49
S58	43	pixel with memory and okumura and power\$6 and stop\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 12:49
S59	2	"6,522,319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 15:24